



## **NEW 7,200 Gal. Aluminum Asphalt Tanker**

---



**375° F Rating**

**42FT Overall Length**



# SPECIFICATIONS

<b>BODY:</b>	Aluminum 5454 1/4 inch Gauge Floor 1/4 " & Gauge 1/4" rest of the body	<b>CONSPICUITY TAPE:</b>	2" Grote, DOT approved
		<b>LIGHTS:</b>	LED Grote, DOT approved, sealed WITH ALUMINUM Light Box
<b>LIDS:</b>	ASTMA36 Gauge 10"	<b>SANDBLAST:</b>	Included on steel parts
<b>MANHOLE:</b>	20" Quick Opening DOT406 compliant	<b>PAINTING:</b>	AXALTA SS Elite on Steel parts High Temp (1/2 Body)
<b>RING STIFFNER:</b>	Omega Type Cal 12"	<b>BLACK STRIPE ON CENTER:</b>	Included
<b>REAR DISCHARGE :</b>	6" w/4" Line & 4" Gate	<b>ANTICORROSIVE:</b>	Included
<b>LADDER:</b>	Drivers side (By request)	<b>SUSPENSION:</b>	Air Ride Suspension
<b>LANDING GEAR:</b>	One HOLLAND Set	<b>AXLES:</b>	2 Round 25,000 lbs
<b>THERMOMETER:</b>	2" Dial in well w/plexiglass cover	<b>LIFT AXLES:</b>	Optional
<b>INSULATION:</b>	3" Mineral Wool	<b>AUTO SLACK ADJUSTMENT:</b>	Included
<b>JACKETING:</b>	STAINLESS STEEL MIRROR FINISH	<b>BOOSTER:</b>	Double
<b>BUMPER:</b>	Made of 1/4" with reinforcements  Aluminum optional	<b>ABS SYSTEM:</b>	Included on both axles
		<b>LASER WHEEL ALIGNMENT:</b>	Included
<b>EXTINGUISHER HOLDER:</b>	Included	<b>TIRES:</b>	(8) 295/75R 22.5
<b>LANDING GEAR BASE:</b>	Included	<b>WHEELS:</b>	(8) Aluminum 22.5 8000 Lbs
<b>FENDERS:</b>	Front and Rear - Aluminum	<b>MUD FLAPS:</b>	TWE Set
<b>SAFETY SIGNAL:</b>	3 Included	<b>TOOL BOX:</b>	Aluminum Tool Box
<b>WALKWAY:</b>	24" Stainless Steel Diamond Plate  5' AFT and 5' Fore of Manhole	<b>CODE:</b>	No-Code (Ask for a 406-407 coded tank if required)
		<b>HOSE TUBE:</b>	8" x 20' on Passenger Side With Lid