



NEW 8,500 Gal. Crude Aluminum Tanker



DOT407



SPECIFICATIONS

BODY:	Aluminum 5454 .249	CONSPICUITY TAPE:	2" Grote, DOT approved
BAFFLES:	Two (2)Aluminum 5454 .249	LIGHTS:	LED Grote, DOT approved, sealed WITH ALUMINUM Light Box
HEADS:	Aluminum 5454 .275	SANDBLAST:	Included on steel parts
MANHOLE:	20" 407 spec 6 HOLD -DOWN	PAINTING RED ON STEEL PARTS:	AXALTA SS on Steel parts High Temp (1/2 Body)
RING STIFFNER:	Aluminum channel	ANTICORROSIVE:	Included
CENTRAL DISCHARGE	4" Line 90 ° Curb side with BUTTERFLY Valve Emco Wheaton Emergency valve air operated Emco Wheaton API adaptor sight bubble	OVERFILL AND VAPOR RECOVERY	TITAN Overfill Sensor Vapor recovery 3" Curbside with 4" outlet emco wheaton vapor recovery adaptor
LADDER:	Drivers side	SUSPENSION:	Hendrickson HT300/SAMPA
LANDING GEAR:	One HOLLAND Set	AXLES:	2 Round 30K lbs
RELIEF VALVE	Girard Vacuum Relief	LIFT AXLES:	Optional
VENTING	4" Girard Vacuum Relief DOT407	AUTO SLACK ADJUSTMENT:	Included
CLEANOUTS	3 Cleanouts 3" Aluminum Threaded Nozzle with Cap	BOOSTER:	Double
BUMPER:	Made of 1/4" with reinforcements	ABS SYSTEM:	Included on both axles
FENDERS:	Aluminum in front and back	LASER WHEEL ALIGNMENT:	Included
EXTINGUISHER HOLDER:	Included	TIRES:	(8) 11R 22.5
HOSE CARRIER:	8" Wide. 21' Length	WHEELS:	(8) Aluminum 22.5 8000 Lbs
CHASSIS	Stainless Steel	MUD FLAPS:	TWE Set
ROPER PUMP	MODEL 3748 MBHF	CODE:	407