



NEW Aluminum Vacuum Tank Trailer



42FT OVERALL LENGTH

6,300 Gallon Capacity



SPECIFICATIONS

BODY:	Aluminum 5454 gauge 1/4"	CONSPICUITY TAPE:	2" Grote, DOT Approved
		LIGHTS:	LED Grote, DOT approved, sealed WITH ALUMINUM Light Box
TANK HEADS	Aluminum 5454 Gauge ¼" ASME SHAPE	SANDBLAST:	Included on Steel Parts
MANHOLE:	Four (4) 20" Manholes: 3 on top and one (1) on Back Head	PAINTING:	AXALTA SS Elite on Steel parts High Temp (1/2 Body) COLOR ALUMINUM
RING STIFFNER:	Omega Type	INTERIOR EPOXY LINING	HIGH SOLIDS INTERIOR EPOXY LINING
REAR DISCHARGE :	2 x 4" with Butterfly Valve	ANTICORROSIVE:	Included
LADDER:	On drivers side	SUSPENSION	Air Ride Suspension
LANDING GEAR:	One Set	AXLES:	2 Round 30,000 lbs
PRESSURE GAUGE	One on the rear	AUTO SLACK ADJUSTMENT:	Included
SCRUBBER MANWAY	Main at Front Shut off Ball Type, Secondary Ball Type - 12 gal on Drivers Side with Drain	BOOSTER:	Double
DRAIN VALVES	Drain Valves and Manual Dump Valve	ABS SYSTEM:	2 Axle System
BUMPER:	Made of 1/4" with Reinforcements	LASER WHEEL ALIGNMENT:	Included
BAFFLES	Three (3) Aluminum 1/4	TIRES:	(8) 11R 22.5
EXTINGUISHER HOLDER:	Included	WHEELS:	(8) Aluminum 22.5 8000 Lbs
		MUD FLAPS:	TWE Set
SIGHT GLASS/EYES/NEEDLE	Sight Glass	TOOL BOX:	One(1) Tool Box included with interior light
HOSE TRAY:	Along the Length of the Tank both sides	WORK LIGHTS	Two work lights at the back of unit
CATWALK	Catwalk Included - Drivers side	ACCESS LADDER	On side at driver side